



The Transporter Dual Cab



THE TRANSPORTER DUAL CAB Specifications / March 2010	Dual Cab
FEATURES AND OPTIONS	
S = Standard O = Optional Extra – Not Available	
Safety and Security	
Driver's and front passenger airbag	S
Driver and front passenger head/thorax airbags (not available with bench seat)	O
Electronic engine immobiliser	S
Remote central locking with 2 remote keys	S
Front height adjustable 3 point seatbelts with pre-tensioners	S
3 Point seatbelts for second row	S
Electronic Stability Program (ESP)	S
Light and Sight package – includes Dusk sensing headlights with 'coming home' function, rain sensing wipers and auto dimming rear view mirror	O
Exterior	
Metallic paint	O
Pearl effect paint	O
Rear fog lamp	S
Front fog lamps with cornering function	O
Electrically adjustable door mirrors	S
Front mud flaps	S
Alloy tray with tie down points and rear mud flaps	O
Interior	
RCD210 Radio CD Player with MP3/RDS with Aux- In	S
RCD310 Radio CD Player with MP3 Double Din with Aux- In	O
RNS510 Satellite Navigation system with monochrome multifunction display	O
'Climatic' Air Conditioning	S
Leather steering wheel with multifunction controls	O
Multifunction display (1) black and white - shows trip km's and average km's, trip time, average fuel consumption, actual fuel consumption and range.	O
Double bench seat in front row with storage compartment	O
Lockable glovebox	S
Dash mounted gear shifter	S
Driver's seat height adjustment with lumbar support, armrest	O
Driver and front pass. with height adj. and lumbar support, armrest	O
Comfort Package – includes B pillar air vent, cab noise reduction + 2 x sunvisor vanity mirror + 2 x A pillar grab handle + dimmable dash panel and two tone horn	O
Cloth seats	S
2nd Row 3 seater bench	S
2nd Battery	O
Convenience	
Front electric windows	S
Instrumentation	
Speedometer and tachometer, electronic odometer and trip meter, digital clock, fuel & coolant indicators, low fuel warning light, outside temperature and fuel gauge.	S
Mechanical	
Electric differential lock (4MOTION models only)	O

THE TRANSPORTER DUAL CAB Specifications / March 2010

TECHNICAL SPECIFICATIONS

Engine	132kW TDI
Type	4 Cylinder, DOHC, 16 Valve
Installation	Transverse installation
Construction materials	All alloy
Capacity, litres/cc	2.0 / 1,968
Bore x Stroke / Compression ratio	81.0mm x 95.5mm / 16.5:1
Maximum power, kW @ rpm	132 @ 4,000
Maximum torque, Nm @ rpm	400 @ 1,500-2,000
Fuel system	Common Rail Direct Injection
Induction type	Twin-turbochargers
Intercooled	Yes
Emissions standard #	Euro 5 with Diesel Particulate Filter (DPF)
Fuel type	Diesel
Fuel tank capacity	80 Litres
Transmission	
Transmission – manual	6 Speed Manual
Transmission – automatic	7 Speed DSG
Driven wheels	Front wheel drive / Optional 4MOTION
Wheels and Tyres	
Wheels	Steel 7J x 17
Tyres	235/55 R 17 103 W
Fuel Consumption – ADR81/02	Comb / Urban / Ex Urban • CO ₂
Manual, Litre/100km • CO ₂	8.1 / 9.8 / 7.1 214 g/km
Automatic, Litre/100km • CO ₂	8.4 / 10.2 / 7.3 221 g/km
4MOTION Manual, Litre/100km • CO ₂	8.7 / 10.5 / 7.6 229 g/km

Disclaimer:

The information and the specifications contained within this document were correct at the time of issue. Due to our continuous process of improvement our products are continually updated and changes may be made to the specifications from time to time. Not all vehicles or options may be available. Check at time of ordering.

Emission level according to European Regulation (EC) No. 715/2007 and Regulation (EC) No. 692/2008.

THE TRANSPORTER DUAL CAB Specifications / March 2010

TECHNICAL SPECIFICATIONS

Suspension and Steering	
Front axle	Independent McPherson struts, sub frame with coil springs and gas filled dampers
Rear axle	Semi trailing independent rear axle with coil springs and anti roll bar
Steering	Rack and pinion power steering
Turning Circle	13.2m
Brakes	
Front brakes	340mm Disc brakes
Rear brakes	294mm Disc brakes
Brake systems	ESP, ABS, ASR, MSR, EDL and Hill Holder
Weights	
LWB	
Towing capacity, braked / unbraked	2000kg / 750kg
Towing downball load	100kg
GVM	3000 kg
Kerb (includes driver)	1787 kg
Payload Manual	1213 kg
Payload Manual 4MOTION	1093 kg
Payload DSG	1198 kg
Payload 4MOTION DSG	1078 kg
Dimensions	
LWB	
Length, mm	5,292
Width, mm	1,904
Height, mm	1,963
Wheelbase, mm	3,400
Warranty	
Vehicle	3 Years, 100,000km
Paint / Corrosion	3 Years / 12 Years
Road side assistance	3 Years, 100,000km

Disclaimer:

The information and the specifications contained within this document were correct at the time of issue. Due to our continuous process of improvement our products are continually updated and changes may be made to the specifications from time to time. Not all vehicles or options may be available. Check at time of ordering.

THE TRANSPORTER DUAL CAB Specifications / March 2010

TECHNICAL SPECIFICATIONS

